

Zingiber longipedunculatum Ridl.

Native to
Borneo.

L-92.0126, Borneo?: A. Dearden, as Undet., K.K. Range. ([Has its own page.](#))

L-93.0254, J. Mood 620; also at Waimea 93p160; voucher: SKG 007 -HLA. ([Has its own page.](#))

Not shown:

L-95.0536, Sarawak: from Arden Dearden.

L-95.0680 *Z. longipedunculatum* ?, Sabah: J. Mood 1007; also Waimea 95p199.



Above (plantlets at tip of stem): **L-92.0470**, Borneo: J. Mood 326. Sabah: Senogang, (AS 320), off road to Tenom, up c.5 km past TV station; hill & valley topography, 20% slope; in small drainage valley, logged forest; 1600' alt., temp. 80 deg., humidity 80%, rain 60", shade 50%. From top of hill hike down slope into drainage area - remnant forest. Burnt over area 1987; some larger trees. On sides of gulch only; frequency: few. *Costus globosus* is spread throughout this area. Also at Waimea 92p32, Tenom O.C. 35; voucher: KES 83 -HLA; to J. Kress 94-5276 -US. Planted **ULMakai, beginning of ti trail, right side, below betel nuts** (Aug 96, transplanted from H39).

2057 R.Baker



Left:
which
accession
?

MORE



Zingiber longipedunculatum Ridl.

Native to
Borneo.



12649

12648



12651

12650



12652

2591
R.Hirano
2592



12647



R.Baker 12655



12654

12653



12656

L-93.0254, J. Mood 620; also at Waimea 93p160.
Voucher: SKG 007 - HLA.

MORE



Zingiber longipedunculatum Ridl.

Native to
Borneo.



18308

18310

18307

18306



R. Baker

18309



L-92.0126, Borneo?: A. Dearden, as
Undet., K.K. Range.